

Safety Data Sheet

Section 1: Identification

Product name: Booth Coating™ (washable booth coating)
Product number: 10018 (1-gallon); 10019 (5-gallon)
Recommended use: Temporary overspray protection for paint spray booth surfaces.
Manufacturer: Bonding Solutions, LLC
3703 West Parkway Blvd., West Valley City, UT 84120 USA
Phone: +1 801.988.4267 Email: info@like90.net Web: www.like90.net
Emergency telephone: 800.424.9300 – CHEMTREC

Section 2: Hazard Identification

United States According to OSHA 29 CFR 1910.1200 HCS
Classification: Skin Sensitizer: Category 1A.

Label elements:

WARNING



Hazard statements: May cause an allergic skin reaction. – H317

Precautionary statements

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray. – P261
Wear protective gloves/protective clothing/eye protection/face protection. – P280
Response: IF ON SKIN: Wash with plenty of soap and water. – P302 + P352
If skin irritation or rash occurs: Get medical advice/attention. – P333 + P313
Wash contaminated clothing before reuse. – P363

Storage/Disposal: Dispose of contents/container in accordance with applicable local/regional/national regulations. – P501

Canada According to WHMIS

WHMIS This product is regulated as a hazardous material by the Canadian Controlled Product Regulations and is a controlled product under the Workplace Hazardous Materials Information System.

Other Information

HMIS Ratings: Health: 1 Fire: 1 Physical Hazard: 0

(Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe; * = Chronic hazard)

Section 3: Composition / Information on Ingredients

Substances Material does not meet the criteria of a substance.

Mixtures

CAS #	Chemical Name	% by weight
7732-18-5	Water	80 – 90
25213-24-5	Vinyl acetate-vinyl alcohol polymer	5 – 15
25322-68-3	Polyethylene glycol	1 - 5

The exact percentage of this composition has been withheld as a trade secret.

Section 4: First Aid Measures**Description of first aid measures**

Inhalation: Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact: Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact: Rinse with water. If signs/symptoms develop, get medical attention.

Ingestion: Rinse mouth. If you feel unwell, get medical attention.

Most important symptoms and effects, both acute and delayed

See section 11 – Toxicological Information.

Indication of any immediate medical attention and special treatment required

Not applicable.

Section 5: Fire-fighting Measures**Suitable extinguishing media**

In case of fire: Use a fire-fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous decomposition or by-products

Carbon monoxide During combustion

Carbon dioxide During combustion

Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

NFPA Ratings: Health: 1 Flammability: 1 Instability: 0 Special Hazards = None
(Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Section 6: Accidental Release Measures**Personal precautions, protective equipment and emergency procedures**

Ventilate the area with fresh air. For a large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

Methods and material for containment and cleaning up

Contain spill. Work from around the edges of the spill inward and cover with commercially available inorganic absorbent material. Mix in sufficient absorbent material until it appears dry. Shovel as much of the material as possible into a suitable container. Seal the container and dispose of as soon as possible. Clean up residue with detergent and water.

Section 7: Handling and Storage**Precautions for safe handling**

For industrial use only. Avoid contact with skin and eyes. Wash thoroughly after handling. Use with adequate ventilation and avoid breathing vapors or mists of this product. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Keep containers closed and in a cool, well-ventilated area. Protect from sunlight. Store away from heat. Store away from acids and oxidizers. Material is freeze-thaw stable but best practice for any water-borne coating is to protect from freezing whenever possible.

Section 8: Exposure Controls / Personal Protection**Control parameters**

Occupational exposure limits

If a component is disclosed in section 3 but does not appear here, an occupational exposure limit is not available for the component.

CAS #	Chemical Name	Agency	Limit Type
25213-24-5	Vinyl acetate-vinyl alcohol polymer	CMRG	TWA (as respirable dust): 5mg/m ³ TWA (as total dust): 10mg/m ³
25322-68-3	Polyethylene glycol	AIHA WEEL	TWA Particulate: 10mg/m ³

Key to abbreviations CMRG = Chemical Manufacturer's Recommended Guidelines; AIHA = American Industrial Hygiene Association; WEEL = Workplace Environmental Exposure Level; TWA = Time-Weighted Average based on 8hr/day and 40hr/week exposures

Exposure controls

Engineering controls Provide adequate ventilation as needed to control concentrations of airborne contaminants below applicable exposure limits. If ventilation is not adequate, use respiratory protection equipment.

Personal protective equipment

Respiratory An exposure assessment may be needed to decide if a respirator is required. If needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, use either a half-facepiece or full-facepiece air-purifying respirator suitable for particulates. Consult respirator manufacturer for suitability for a specific application.

Eye/face protection Safety glasses with eye shields are recommended.

Skin/hand protection Wear protective gloves with cuffs. Normal work clothing (long sleeves and pants) is recommended.

General industrial hygiene Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Environmental exposure Follow best practice for site management and disposal of waste. Avoid release to the environment.

Section 9: Physical and Chemical Properties

Basic physical and chemical properties

Physical form:	Liquid	Percent volatile:	86%
Color:	Light amber	VOC:	0.49% weight; 5g/l [calculated]
Odor:	Mild	VOC (less H ₂ O & exempts):	42 g/l [calculated]
pH:	5 - 8	Evaporation rate:	No data available
Boiling point:	212° F (100° C)	Flammability (solid, gas):	Not applicable
Flash point:	>=200° F [Test method: Closed Cup]	Flammable Limits (LEL):	No data available
Density:	1.03 g/ml	Flammable Limits (UEL):	No data available
Specific gravity:	1.03 [Water = 1]	Vapor pressure:	No data available
Weight per gallon:	8.6 lbs	Vapor density:	No data available
Viscosity:	300 – 600 cps [Brookfield]		
Solubility (H ₂ O):	Complete		
Solubility (non-water):	No data available		

Section 10: Stability and Reactivity

Reactivity: This material may be reactive with certain agents under certain conditions – see remaining information in this section.

Chemical stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Heat

Incompatible materials: Reactive metals, strong acids, strong oxidizing agents

Hazardous decomposition products: None known. Refer to section 5 for hazardous decomposition products during combustion.

Section 11: Toxicological Information

Information on toxicological effects

- Signs and symptoms: Based on component information, this material may produce the following health effects:
- Inhalation: Respiratory tract irritation: signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
- Skin contact: Contact with skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): signs/symptoms may include redness, swelling, blistering, and itching.
- Eye contact: Sprayed material may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
- Ingestion: Gastro-intestinal irritation: signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Chemical Name	Route	Species	Value
Polyethylene glycol	Dermal	Rabbit	LD50 > 20,000 mg/kg
Polyethylene glycol	Ingestion	Rat	LD50 > 10,000 mg/kg
Vinyl acetate-vinyl alcohol polymer	Ingestion	Rat	LD50 > 5,000 mg/kg

Skin Corrosion / Irritation

Chemical Name	Species	Value
Vinyl acetate-vinyl alcohol polymer	Rabbit	Slight irritation

Serious Eye Damage / Irritation

Chemical Name	Species	Value
Vinyl acetate-vinyl alcohol polymer	Rabbit	Slight irritation

Skin Sensitization

Chemical Name	Species	Value
Vinyl acetate-vinyl alcohol polymer	Guinea Pig	Not sensitizing

Photosensitization Either no data are currently available or the data are not sufficient for classification.

Respiratory sensitization Either no data are currently available or the data are not sufficient for classification.

Germ cell mutagenicity Either no data are currently available or the data are not sufficient for classification.

Carcinogenicity Either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or developmental effects

Target Organ(s)

Specific Target Organ Toxicity - single exposure Either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity – repeated exposure Either no data are currently available or the data are not sufficient for classification.

Aspiration hazard Either no data are currently available or the data are not sufficient for classification.

Section 12: Ecological Information

Toxicity – Aquatic toxicity of components

Chemical Name	Species	Test
Polyethylene glycol	Fish (Pimephales promelas)	96 hr LC50: >87,209 mg/l
Polyethylene glycol	Water flea (Daphnia magna)	48 hr LC50: >53,484 mg/l
Vinyl acetate-vinyl alcohol polymer	Fish (Pimephales promelas)	96 hr LC50: >40,000 ppm
Vinyl acetate-vinyl alcohol polymer	Fish (Lepomis macrochirus)	96 hr LC50: >10,000 ppm
Vinyl acetate-vinyl alcohol polymer	Bacteria (Photobacterium phosphoreum)	Microtox Method, EC50: >50,000 ppm

Persistence and degradability

Vinyl acetate-vinyl alcohol polymer has been reported to be substantially biodegraded in several test systems after a lag time for microbial acclimation. Almost 100% degradation of 30-day BOD with an acclimated culture can be reached. Polyethylene glycol is expected to be readily biodegradable.

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects No data available

Section 13: Disposal Considerations

Disposal methods

Avoid disposal. Completely utilize product, if possible. Dispose unused product and container in accordance with local, regional, national, and international regulations. Incinerate unused product in a permitted waste incineration facility. As a disposal alternative, dispose of waste product in a permitted industrial waste facility.

EPA Hazardous Waste Number (RCRA): Not regulated

Section 14: Transport Information

US DOT information: Not regulated as a hazardous material.

TDG information: Not regulated as a dangerous good.

IMDG information: Not regulated as a dangerous good.

IATA information: Not regulated as a dangerous good.

Transportation during cold weather

This product is freeze-thaw stable and will function properly if it is frozen and then thawed. However, whenever possible, minimize the number of freeze cycles to which the product is exposed during transportation.

Section 15: Regulatory Information**U.S. Federal Regulations**

Chemical inventory: All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

General information: No additional information available.

Component analysis: None of the product's components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

Acute health: No **Chronic health:** No **Fire:** No **Pressure:** No **Reactive:** No

State Regulations

General information: Other state regulations may apply. Check individual state requirements.

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other harm.

Canadian WHMIS information

Chemical inventory: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

General information: This product is a controlled product under the Canadian Workplace Hazardous Materials Information System.

Component analysis: This product does not contain substances required to be disclosed according to the Canada WHMIS Ingredient Disclosure List.

Section 16: Other Information**Other information**

DISCLAIMER: For industrial use only. Reasonable care has been taken in the preparation of this information and is believed to be accurate as of the date issued. Seller does not suggest or guarantee that any hazards listed herein are the only ones which exist and makes no warranty of any kind, express or implied, concerning the safe use of this material in user's process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials.

SELLER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.